

Helena

Brexil[®] Mg 5% Magnesium

Chelated Soluble Microgranules

GUARANTEED ANALYSIS

Magnesium (Mg) 5.0%

5.0% Water soluble Magnesium (Mg)

Derived from: Magnesium Ligninsulphonate

GENERAL INFORMATION

BREXIL Mg, chelated obtained through the reaction of ligninpolycarboxylic acid [LPCA] with Magnesium, offers a highly effective, specifically designed product for the treatment and prevention of micronutrient deficiency. **BREXIL Mg** is a complexed micronutrient that is rapidly absorbed and completely water soluble.

This product is recommended as a supplement to a well-balanced fertilizer program only.

Lic #F1407

CODE: Ca/FL 4-0061860

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.wa.gov/agr/>. Information concerning the raw materials composing the product in this container can be obtained by writing to NutrEcology, Inc., at the address below and referring to the lot/batch # on this container.

BREXIL Mg is a Registered Trademark of VALAGRO S.p.A.



DO NOT SELL UNPACKED

DO NOT SELL UNPACKED

Produced and packed by **VALAGRO S.p.A.**

Zona Ind.le—66040 Piazzano di Atessa (Ch)—ITALY

Distributed and guaranteed by

Nutrecology, Inc.

1754 E. Bullard Ave, Suite # 102—Fresno (CA) USA 93710

Phone 559-432 3799 Fax 559-432 3397

Valagro[®] farm

Issued November 2002

CAUTIONARY STATEMENTS

1. This product has been determined to be hazardous in accordance with 29 CFR 1910.1200 (OSHA Hazard Communication)
 - a. Handle and use this product in accordance with good industrial hygiene safety practices which includes:
 - I. Avoid unnecessary exposure to dusts and sprays.
 - II. Avoid ingestion of product or spray solutions.
 - III. Avoid inhalation of dusts and sprays.
 - IV. Avoid eye and unnecessary skin contact.
 - b. Store away from children, pets, livestock, food, and water sources.
 - c. Wash hands before meals and after work.
2. Store in a cool, dry storage area away from strong sunlight. There will be no loss of effectiveness if allowed to become damp.
3. Store any unused material in original, sealed container.
4. In case of spill, confine material and handle in accordance with Federal, State, and Local regulations.
5. Dispose of any waste material and container in accordance with Federal, State, and Local Regulations.
6. DO NOT reenter area without protective clothing until dusts have settled or sprays have dried.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid breathing spray mist. May cause irritation of nose, throat, or skin. Avoid contact with eyes, skin, and clothing.

WARNING

- A compatibility jar test must be performed before mixing BREXIL Mg with products containing Calcium and or phosphate containing fertilizer.
- **DO NOT** treat peaches, apricots and kiwis after fruit has reached half of its expected size.
- **DO NOT** apply via irrigation.

FIELD APPLICATION INSTRUCTIONS

Database and format copyright © by Vance Communication Corporation. All rights reserved.

RATES:

Citrus & Grapes—Apply 48 to 56 ounces per acre every 7-14 days interval after fruit set.

Apples & Pears—Apply 48 to 56 ounces per acre every 7-14 days interval from initial fruit growth.

Stone Fruits—Apply 42 to 56 ounces per acre every 7-14 days interval until symptoms disappear.

Vegetables (tomatoes, peppers)—Apply 48 to 56 ounces per acre every 7-14 days interval until symptoms disappear.

Processing & Tuber Crops—Apply 56 to 64 ounces per acre every 7-14 days interval until symptoms disappear.

Ornamentals—Apply 24 to 32 ounces per acre.

Turf—Apply 2 to 4 ounces per 1000 sq. ft.

GREENHOUSE APPLICATION INSTRUCTIONS

DO NOT exceed 10 ounces per 25 gallons for greenhouse crops.

DIRECTIONS FOR MIXING

BREXIL Mg is a soluble product to be mixed with water. Select a water volume and corresponding rate of **BREXIL Mg** necessary to thoroughly spray/mist all fruit and foliage surfaces. Gradually add the recommended amount of product to a half-filled spray tank and mix, then add the balance of required water while continuing to agitate the solution.

CLEANING OF SPRAYER

Flush with clean water all parts of the sprayer including the pump, hoses and nozzles several times prior to and after the use of this product.

CONDITIONS OF SALE

Seller warrants this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions and use. No one other than an officer of the seller is authorized to make any warranty, guarantee or direction concerning this product. Because time, place, rate of application and other conditions of use are beyond the seller's control, the seller's liability from handling, storage, and use of this product is limited to replacement of the product or a refund of the purchase price. It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions, presence of other materials, the manner of application, or other factors, all of which are beyond the control of NutrEcology or the seller. All such risks shall be assumed by buyer.

WARNING:

This product contains a chemical [or chemicals] known to the State of California to cause cancer birth defects or other reproductive harm.

The above rates are for foliar applications using a minimum of 50 gallons of water per acre. For low volume sprays (25 GPA), DO NOT EXCEED the minimum rate listed above.

NET WEIGHT

5 Lbs.

2.3 Kg

4-0061860

VID 5.27.04